

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE

MEAT INSPECTION DIVISION
WASHINGTON 25, D. C. YLY -

August 10, 1959

Mr. John N. Baker
VanCan Industries Limited
The Burrard Building
Vancouver 5, British Columbia
Canada

Dear Mr. Baker:

We have a letter from Dr. Prchal, Inspector in Charge of our Phoenix, Arizona station reporting on the use of "Acti-Zyme" at the Cudahy Packing Plant, Salt Lake City, Utah. This material was the subject of your letter of May 16.

Dr. Prchal reports that the Cudahy Packing Plant at Phoenix had been using the material with good results since acceptance for use in 1955. He indicated the plant normally added one teaspoonful of "Acti-Zyme" per week to each sewer trap. This was followed by a quart of warm water into each trap. The establishment claims that the catalytic properties of this enzyme material prevent waste from collecting in the inner walls of sewer line within the plant and in the 12-inch line which carries waste materials to the sewage disposal plant, some distance away. They also claim that objectionable odors peculiar to sewage systems are greatly reduced.

We trust that this information is what you requested in your previous letter.

Very truly yours,



R. H. Philbeck
Chief Staff Officer
for Chemical Control

Frontier Motel

LONE PINE • CALIFORNIA

June 28, 1963

L. C. M. Engineering Ltd.,
65 East 3rd Avenue,
Vancouver 10, B.C.

Gentlemen:

Re your inquiry about the product called Acti-Zyme, we have a 37 unit motel on a septic system.

We have been using this product for many years and recently pumped our tank for the first time in eight years. When used according to instructions, there is nothing any better and the price is right.

We think you will be happy representing this product and you may use our name, if necessary.

Very truly yours,

C. F. Powell

Fresno
HACIENDA

99 HIGHWAY AT CLINTON
FRESNO 15, CALIFORNIA
TELETYPE 209-481-1293

A. O. DIXON GENERAL MANAGER

TELEPHONE AMHERST 8-4061
P. O. BOX 1228


July 5, 1963

Mr. E. Loos
L.C.M. Engineering Ltd.
65 East 3rd Ave.
Vancouver 10, B.C.

We have been doing business, Mr. Loos, with Acti Zyme Co. in Three Rivers, California for several years. Mr. Hartelrode has always been very cooperative and helpful in any problem that has come up. I have never heard of any complaints as far as their business methods are concerned.

By setting up a regular monthly treatment of sanitary facilities, the fixtures and lines are free of sludge, grease etc.

Enzymes are nature's way of promoting the growth of bacteria. Mr. Hartelrode has perfected his product for the highest amount of efficiency, for the least cost. I have been very well pleased with Acti Zyme products and can recommend them to anyone.



D.H. Bowman
Chief Engineer

DHB/ps

VARIOUS MERMAID ROOM 2 SWIMMING POOLS SOUND PROOF
RECREATION AND FITNESS 12 X 20 SLEEPING ROOMS KING SIZE BEDS CARPETED WALL TO WALL



ALBERT D. ROSELLINI
GOVERNOR

STATE OF WASHINGTON

Department of Institutions

GARRETT HEYNS, PH. D., DIRECTOR

DIVISIONS:

DIVISION OF MENTAL HEALTH
DIVISION OF CHILDREN AND
YOUTH SERVICES
DIVISION OF ADULT CORRECTION
DIVISION OF VETERANS HOMES
DIVISION OF ALCOHOLISM

STATE BUREAU OF
CRIMINAL IDENTIFICATION

WASHINGTON STATE REFORMATORY

ERNEST C. TIMPANI, SUPERINTENDENT
MONROE, WASHINGTON

July 12, 1963

Mr. E. Loos, President
L. C. M. Engineering Ltd.
Vancouver 10, B.C.

Dear Sir:

In answer to your letter of June 24th on inquiry of our use of Acti-Zyme and experience with the Company, we used Acti-Zyme for several years to clean our sewer lines and to keep our Septic tank activated.

we were very satisfied with the product, it cleared grease accumulations from main sewer lines very well and when ever our treatment plant became sluggish an application of Acti-Zyme reactivated it.

We are not using the product now as we are in the process of changing to a Lagoon treatment system.

we always had excellent relations with the Company. I understand that since our last purchase of Acti-Zyme the company has changed management two or three times.

Hoping above information is of some assistance.

Respectfully yours,

Wm. E. Alexander,
Plant Manager

cc: File



Earl Flick

U. S. GOVERNMENT INSPECTED
BEEF, VEAL, HOGS & LAMB

P. O. BOX 25 ● CLACKAMAS, OREGON

June 26, 1963

L.C.M. Engineering Ltd.
65 East 3rd Ave
Vancouver 10, B.C.

Mr. E. Loos, President

Dear Mr Loos:

In reply to your June 24th inquiry about the Acti-Zyme product.

We installed our pond in 1956 and the results obtained have been most satisfactory. The State checked our pond regularly the first year and the over flow from it but havn't checked it for several years now.

We can't say too much in favor of the product and the co-operation of the company has been excellent.

If there is any further information that we can supply you please do not hesitate to call on us.

Sincerely,

EARL FLICK WHOLESale MEATS INC.

Earl Flick
Earl Flick, Pres.

EF/br

July 18, 1963

L. C. M. Engineering Ltd.
65 East 3rd Avenue
Vancouver 10, B.C.

Gentlemen:

Sorry for the delay in answering your inquiry regarding Acti-Zyme.

We have used Acti-Zyme for the past eight years and have found it to be the most satisfactory product we have ever used. Through the years we have tried other products but none compare with Acti-Zyme. We have used this product in soil with heavy adobe clay in drain lines and under any conditions it works. We have never had a problem where we have used Acti-Zyme.

We highly recommend Acti-Zyme and feel that you are fortunate to have the opportunity to distribute this product in Canada.

Yours, very truly,

BIGGERS PLUMBING & HEATING


Glen E. Biggers, Pres.

GEB/cm

UNITED STATES DEPARTMENT OF AGRICULTURE
FOREST SERVICE
NORTHERN REGION

FEDERAL BUILDING
MISSOULA, MONTANA

ADDRESS REPLY TO
REGIONAL FORESTER
AND REFER TO

5100

July 8, 1963

Mr. E. Loos
L.C.M. Engineering Ltd.
65 East 3rd Avenue
Vancouver 10, B.C.

Dear Mr. Loos:

Reference is made to your letter of June 24.

We have used Acti-Zyme at the Forest Service Aerial Fire Depot for several years and it has always been satisfactory. This product has been used in accordance with the manufacturer's instructions and appears to have given the desired results.

However, under our regulations, this report cannot be construed to convey or imply an endorsement by the U.S. Forest Service of any commercial product.

Sincerely yours,

E. R. DeSilvia
Assistant Regional Forester

By *David R Kyle*



OCTOBER 3, 1958

**MR. ALFRED M. BOMBARD, CITY MANAGER
CITY OF AVALON
POST OFFICE BOX Y-1
AVALON, CALIFORNIA**

DEAR SIR:

IN ANSWER TO YOUR LETTER DATED OCTOBER 1, I HAVE CUT MY MAINTENANCE COST TO NOTHING ON MY SEWER SYSTEM. WE WERE AVERAGING \$900.00 A MONTH FOR PUMPING PRIOR TO STARTING ACTI-ZYNE TREATMENT.

I STARTED ACTI-ZYNE ON FEBRUARY 21ST OF 1958. SINCE APRIL 1ST I HAVE SPENT \$59.00 TOTAL AND MY TANKS AND DRAIN WELLS ARE CLEAR. I HAVE HAD NO ODORS SINCE THEN.

WE ARE ONE OF THE LARGEST HOTEL-HOTEL OPERATIONS IN THE WEST AND WE ARE NOT ON A SEWER SYSTEM. ALL OF OUR WASTE WATER MUST BE DISPOSED OF THROUGH SEPTIC TANKS AND DRAIN WELLS.

I AM COMPLETELY SOLD ON ACTI-ZYNE AND WOULD USE NOTHING ELSE.

YOURS TRULY,

**D. H. BOWMAN
CHIEF ENGINEER
FRESNO HACIENDA**

DHB:JD



Alpine Packing Company

U. S. ESTABLISHMENT 412

Route 2, Box 411 + Wakefield and Lower Sacramento Roads + Stockton 4, California
Telephone Granite 7-2691

WHOLESALE
MEATS
SAUSAGES

July 9, 1963

L. C. M. Engineering Ltd.
65 East 3rd Avenue
Vancouver 10, B. C.

Attention: E. Loos, President

Gentlemen:

We have been using "Acti-Zyme" for a number of years at our plant. It is used to treat our sewage system to dissolve animal wastes and fats.

Since we slaughter livestock the discharge of waste material can be a problem unless it is adequately taken care of to remove odors and animal fats.

We have found that the "Acti-Zyme" product does this job for us.

Sincerely,

ALPINE PACKING COMPANY

Garold G. Singer
Office Manager

GGs/1b